FASTrack System For Lift Slide & other sliding doors

A modular, adjustable track system for multiple sliding doors, using long lasting corrosion-resistant materials.



Aluminum Dark Bronze (Black) anodized

FASTrack Modular Track System

Functional Fenestration Inc is proud to offer the FASTrack moduar track system. Stainless Steel or Aluminum Class I anodized for the highest durability.

Exclusive features only from FFI

- Fast and easy installation of multiple sliding door floor tracks
- · Adaptable to variable field conditions using modular parts
- · High durability and corrosion resistance
- Adjustable track spacing, adjustable height
- No welding required: save on labor costs with the FASTrack system

Advantages

- · Fast and easy installation of multiple sliding door floor tracks
- Adapts to variable field conditions using modular parts
- Adjustable track spacing, adjustable height
- A complete modular multi-track system, available in 8, 12 and 20 foot lengths

Characteristics

- · Compatible with any door manufacturer panels; any weight capacity
- Two-sided track blades: 5mm diameter for lift slide, 6mm diameter for patio door rollers
- FASTrack is a low-profile track; use with FFI Anti-Derailer lock for performance and hurricane testing
- · Curved track installation is simple: the track bends by hand
- Surface drainage: FASTrack can be assembled on slope up to 2 degrees for surface drainage; sub-floor drainage system is not supplied
- One-year FFI warranty against manufacturing defects, on all components
- Stainless steel & brass: 15-year warranty against corrosion failure
- Choice of SST/brass or aluminum system; do not mix system parts







Aluminum Silver (Clear Anodized) FASTrack

Visit us at www.fenestration.net for more information

SST/Brass FASTrack

| Part # | Description | Size/Quantity | Material, Finish | | | | | |
|----------------|---------------------|---------------|---------------------------|----------------|-----------------|----------------|---------------|--------------|
| SL400.96.2B | Blade | 8ft (2438mm) | SST 304 grade | | | пп | | |
| SL400.144.2B | Blade | 12ft (3657mm) | SST 304 grade | | | | | |
| SL400.240.2B | Blade | 20ft (6096mm) | SST 304 grade | | | 0 | | |
| SL404.96.721 | Bridge | 8ft (2438mm) | Brass plain (mill finish) | | | | Ø | 0 |
| SL404.BC20.721 | Bridge clips | 20 pack | Brass plain (mill finish) | | | | | |
| SL404.TC50.721 | Track clips | 50 pack | Brass plain (mill finish) | | | | | 0 |
| SL404.NP10.721 | Nut plate connector | 10 pack | Brass plain (mill finish) | Track Blade | Track Bridge | Bridge Clip | Track Clip | Nut Plate |

FASTrack Aluminum System

| Part # | Description | Size | Material, Finish | | | | | |
|---------------|----------------------|-------------|---------------------------------------|----------------|-----------------|------------------------|-------------------------|--|
| SL400.144.01 | Blade | 144" Length | Aluminum Silver (clear) anodized | | | | | |
| SL400.144.710 | Blade | 144" Length | Aluminum Dark Bronze (Black) anodized | | ษ | | | |
| SL400.252.01 | Blade | 252" Length | Aluminum Silver (clear) anodized | | | | | |
| SL400.252.710 | Blade | 252" Length | Aluminum Dark Bronze (Black) anodized | | | | | |
| SL401.96.01 | Bridge | 8ft Length | Aluminum Silver (clear) anodized | | | | | |
| SL400.BCA.10 | Bridge Clip Assembly | | Pre-assembled Bridge Clip assembly | Track Blade | Track Bridge | Track Clip Assembly | Bridge Clip Assembly | |
| SL400.TCA.10 | Track Clip Assembly | | Pre-assembled Track Clip assembly | Blado | Blidge | | | |
| | | | | | | | | |



Functional Fenestration Inc. Hawthorne, CA • Phone (800) 677-0228 www.fenestration.net • sales@fenestration.net