

This form allows for one style in four sizes.

Customer Information: Please enter contact information: company name, contact, phone, fax, email address, & date.

Quantities: List the quantities needed by size, and circle whether they are right- or left-handed.

Style: Circle one of the three styles (if more than one style is used you must fill out another form).

Finish: Circle the hardware finish: silver (stock) or yellow (on close-out sale).

Material: Circle the material used.

Backset: Circle the handle backset needed (15mm is the standard).

Rebate: Circle rebate ("lip" distance) to be used. AGB tilt tilt uses European "3-step" frame & sash profile.

Air gap: Circle the air gap used. All AGB tilt & turn systems use a 12mm air gap on the top rail.

Gasket: Circle whether this is a single or double gasketed sash and frame.

Handle(s): Enter handle type. For French style windows, circle handle configuration needed.

Hinge cover colors: Circle one of the colors shown.

Sash rebate height:

Write in sash rebate height in inches or millimeters; refer to detail 1 and the style chosen.

Sash rebate height 2: *Oblique and archtop only*

Write in the "sash rebate height 2" in inches or millimeters; refer to detail 1 and the style chosen.

Sash rebate width:

Write in the sash rebate width in inches or millimeters; refer to detail 1 and the style chosen.

Handle height:

Write in the handle height in inches or millimeters. Using a fixed handle height gear (see chart) is the simplest solution, although other heights are attainable.

Drainage channel:

All noncladded tilt turn systems require drainage channel along the sill. If channel is selected, circle yes and write in part number. If you would like to know what types are available circle send info.

Gasket type:

All tilt turn systems require gasketing. If gasket type is selected, circle yes and write in part number. If you would like to know what types are available circle 'send info'.

Handle:

If you would like handles quoted at this time and you know what handle to use, circle yes and write in the part number. If you would like to know what types are available circle 'send info'.

Jigs:

A complete set of jigs is available for easy installation of hinges and strikes. Circle yes to get a quote for a jig set.

Insert Tooling:

Insert tooling is used to cut the "Eurogroove and 3-step" frame and sash profiles. If you would like to know what tooling is available circle yes and send info. (optional)

Cladding:

Extruded aluminum and brass cladding is available for most applications. If you would like to know what cladding is available circle yes and send info. (optional)

Attachments:

You may attach any other information.

Please fax completed form to FFI at: 323-242-3824. A quote will be figured and sent to you.




Company: _____ Phone: _____

Contact: _____ Date: _____ Fax: _____

Functional Fenestration salesperson: _____ Email: _____

Quantity: _____ (Circle)
Size 1 _____ RH LH
Size 2 _____ RH LH
Size 3 _____ RH LH
Size 4 _____ RH LH


Style
circle one



Circle all that apply:

Finish:	silver (stock)	yellow (close-out)	Material:	wood	pvc	other	
Backset:	15mm (standard)	25mm	40mm	Rebate:	15mm (wood)	18mm (wood/pvc)	20mm (pvc)
Air Gap:	4mm (mortise keep)	12mm (surface keep)	Gasket:	single	double		
Hinge Cover Color:	white	silver	brass plated	nickel plated	bronze plated		

Sash Rebate Height: SRH (see detail 1)	_____	_____	_____	_____
	Size 1	Size 2	Size 3	Size 4
Sash Rebate Height 2: SRH-2 (oblique & archtop)	_____	_____	_____	_____
	Size 1	Size 2	Size 3	Size 4
Sash Rebate Width: SRW (see detail 1)	_____	_____	_____	_____
	Size 1	Size 2	Size 3	Size 4
Handle Height: (from rebate)	_____	_____	_____	_____
	Size 1	Size 2	Size 3	Size 4



Drainage Channel: yes no send available D-channel info **part #:** _____

Gasket Type: yes no send available gasketing info **part #:** _____

Handle: yes no send available handle info **part #:** _____

Jigs: yes no send available jigs info

Insert Tooling: yes no send available tooling info

Cladding: yes no brass alum. send available cladding info

Fax form to FFI at 323-242-3824, with any additional details or drawings.




Company: _____ Phone: _____

Contact: _____ Date: _____ Fax: _____

Functional Fenestration salesperson: _____ Email: _____

Quantity: _____ (Circle)
 Size 1 _____ RH LH
 Size 2 _____ RH LH
 Size 3 _____ RH LH
 Size 4 _____ RH LH

Style
circle one



Circle all that apply:

Finish: silver yellow **Gasket:** single double **Material:** wood pvc other

Backset: 15mm (standard) 25mm 40mm **Rebate:** 15mm (wood) 18mm (wood/pvc) 20mm (pvc)

Air Gap: 4mm (mortise keep) 12mm (surface keep) **Handle(s):** TT sash only Both sashes Dummy on inactive sash


Hinge Cover Color: white silver brass plated nickel plated bronze plated

Sash Rebate Height: SRH (see detail 1) _____ Size 1 _____ Size 2 _____ Size 3 _____ Size 4 _____

Sash Rebate Height 2: SRH-2 (oblique & archtop) _____ Size 1 _____ Size 2 _____ Size 3 _____ Size 4 _____

Sash Rebate Width: SRW (see detail 1) _____ Size 1 _____ Size 2 _____ Size 3 _____ Size 4 _____

Handle Height: (from rebate) _____ Size 1 _____ Size 2 _____ Size 3 _____ Size 4 _____



Drainage Channel: yes no send available D-channel info **part #:** _____

Gasket Type: yes no send available gasketing info **part #:** _____

Handle: yes no send available handle info **part #:** _____

OPTIONAL ITEMS:

Jigs: yes no send available jigs info

Insert tooling: yes no send available tooling info

Cladding: yes no brass alum. send available cladding info

Fax form to FFI at 323-242-3824, with any additional details & drawings.