

Multipoint Hardware

For Swing Doors



Sunrise



Summer



Crest



Tokyo

Multipoint Gears & Handles for Swing Doors

FPI has high-quality, corrosion-resistant hardware systems for swing doors.

Many options to choose from - including handles, multipoint locking gears and accessories.

Sunrise, Summer, Crest & Tokyo

| | |
|-------------|---|
| Material | Stainless steel 304 |
| Finishes | Satin Nickel 32D, Oil-rubbed bronze 10B, Flat black US19 |
| Application | 8mm square spindle for multipoint gears with 92mm center |
| Functions | Active/entry (with key & knob), Patio (with thumbturn knob), and Inactive (Dummy) |


FPI has more handle options available, including brass material, 85mm center, and other finishes. Compatible profile cylinders are available.

Multipoint Locking Gears for Doors

European multipoint door locks help meet architectural demands for large openings, secure alignment, warp-prevention and hurricane testing. Multipoints are modular and can be configured in many ways, depending on desired height of door, handle height, and if optional roller cams are wanted.


AGB Unitop and Sicurtop multipoint gears have high quality cold-forged, pressed steel components—Made in Italy, in an ISO 9001 quality controlled factory. Features include:

- For up to 12-foot tall doors in most any sash material.
- Many configurations possible, from 2-point up to 7-point lock options.
- Shootbolts ensure maximum security and minimal warping.
- Adjustable handle height; accepts handles with 8mm spindle.
- Reversible, non-handed latch is tapered for rattle prevention and smooth operation.
- Activage silver coastal finish, tested to 2,000 hours corrosion-resistance.



Recommended for Hurricane Testing

- Sicurtop Poseidon double-hooks with 20mm throw.
- Sicurtop Poseidon double-hook extensions, compatible with any Sicurtop gear.
- Sicurtop with mushroom cams (#11400-85), with 5000N resistance to breakage.
- **Ask FFI for details, and hurricane test results.**




Optional
Mushroom Cam



Poseidon
Double Hooks

Sicurtop Multipoint Gears by AGB



Features


- Gear-driven multipoints, activated by turning a cylinder to engage the lock points.
- Spindle center distance 85mm or 92mm.
- 16 or 20mm wide faceplates.
- Backsets from 35 to 80mm.
- Deadbolt & shootbolt throw length 20mm.

Poseidon Hooks

- Poseidon is suitable for swinging or sliding doors.
- Gears with double-hook lock boxes.
- Extensions with double-hook lock boxes.



Unitop Multipoint Gears by AGB



Features

- Lever-driven multipoints, activated by lifting door lever to engage the lock points.
- Spindle center distance 92mm.
- 16 or 20mm wide faceplates.
- Backsets from 25 to 55mm.

Poseidon Hooks

- Poseidon is suitable for swinging or sliding doors.
- Gears with double-hook lock boxes.
- Extensions with double-hook lock boxes.

Visit us at www.fenestration.net for more information

Multipoint Accessories

FFI in-stock, corrosion-resistant accessories include brass strikes, profile cylinders, stainless steel hinges, and more.

Latch Strikes



Shootbolt Keeps



Screw Hinges



Profile Cylinders



Contact an expert
CALL FFI at 800-677-0228



Functional Fenestration Inc.
Hawthorne, CA • Phone (800) 677-0228
www.fenestration.net • sales@fenestration.net